






Part number	Description	Paint finish	Length in m ¹ Pack. Unit
4453 470-000	End fix bracket Screen 150 square without spindle, left	Mill finish	
4453 472-000	Idem, right	Mill finish	
4453 470-008	End fix bracket Screen 150 square without spindle, left	RAL 7035 Light grey	
4453 472-008	Idem, right	RAL 7035 Light grey	
4453 470-006	End fix bracket Screen 150 square without spindle, left	RAL 9010 pure white	
4453 472-006	Idem, right	RAL 9010 pure white	
4453 470-901	End fix bracket Screen 150 square without spindle, left	RAL 9001 cream	
4453 472-901	Idem, right	RAL 9001 cream	
4453 470-755	End fix bracket Screen 150 square without spindle, left	RAL 7016 anthracite grey*	
4453 472-755	Idem, right (* = Textured)	RAL 7016 anthracite grey*	
6297 970-000	Alu top cover Screen 150	Mill finish	6.1
6297 970-016	Idem	Silver anodized	6.1
6297 970-006	Idem	RAL 9010 pure white	6.1
6297 970-901	Idem	RAL 9001 cream	6.1
6297 970-755	Idem (* = Textured)	RAL 7016 anthracite grey*	6.1
6297 975-000	Alu bottom cover square with lip Screen 150	Mill finish	6.1
6297 975-016	Idem	Silver anodized	6.1
6297 975-006	Idem	RAL 9010 pure white	6.1
6297 975-901	Idem	RAL 9001 cream	6.1
6297 975-755	Idem (* = Textured)	RAL 7016 anthracite grey*	6.1
4210 142-000	Plate screw with countersunk Philips head 4.2 x 32 mm (For fixing the top cover to the end fix bracket)		100
4452 084-000	Stainless steel plate screw with Philips cylinder head 3.5 x 6.5 mm (For fixing the bottom cover to the end fix bracket)		100
4452 097-000	Stainless steel (AISI410) drill screw ZB,BK/KK 3.5 x 9.5 mm (For fixing the bottom cover to the end fix bracket, no drilling required)		100
4452 494-090	Alu bracket for top cover	Mill finish	










= Article will be sold out. Special orders remain possible.

SolidScreen® XL










Part number	Description	Paint finish	Length in m ¹ Pack. Unit
6296 295-000	Alu tube double-walled 100 mm, Inside size is equal to tube 78	Mill finish	7.0
6296 295-016	Idem	Silver anodized	7.0
4453 487-008	Nylon side protection ring for alu tube 100	Light grey	
4452 070-000	Plate screw countersunk Philips head 2.9 x 19 mm (For fixing the protection ring to the tube 100 mm)		100
4453 480-000	Alu fixing plate SolidScreen 150 In combination with: Somfy or ASA Motor	Mill finish	
4453 482-000	Alu fixing plate SolidScreen 150 for bearing pin	Mill finish	
4453 485-000	Alu strip for locking the fixing plate in the end fix bracket	Mill finish	
4210 963-000	Stainless steel socket-head bolt M 6 x12 cylinder head (For fixing the alu strip)		100
4210 498-080	Bearing pin 12 mm with fixing plate	Zinc-plated	10

= Article will be sold out. Special orders remain possible.

Part number	Description	Paint finish	Length in m ¹ Pack. Unit
	4210 484-000 Stainless steel screw M6 x 12 mm countersunk Philips head (For fixing the bearing pin to the fixing plate)		100
	4453 572-068 Nylon bearing roller bung for tube 78 (short model) with spacing tube. Two precision bearings are already installed in the roller bung.	Light grey	
	4452 464-008 Nylon motor roller bung for tube 78. In combination with: ASA motor series 50 or Somfy motor series 50	Light grey	10
	4452 441-905 Motor cable guide Somfy	Black	
Below mentioned heavy bottom slat is intended for additional stability for wide screens and extra weight (double reinforcement 6253 067-000) for high screens. For the guidelines applying reinforcement, please look at the manufacturing and installation instruction.			
	6298 600-000 Alu bottom slat Xtra/XL/Niche/Niche XS heavy	Mill finish	7.0
	4453 883-905 Nylon end cap bottom slat heavy front	Black	
	4453 884-905 Nylon end cap bottom slat heavy rear	Black	


= Article will be sold out. Special orders remain possible.

SolidScreen® XL


	Part number	Description	Paint finish	Length in m ¹ Pack. Unit
	4452 555-000	Plate screw with countersunk Philips head 3.5 x 25 mm (For fixing the end caps bottom slat)		100
	6253 067-000	Steel reinforcement strip 25 x 12 mm for bottom slat SolidScreen (After cutting the reinforcement strip, treat the cutted side with alu zinc spray part no. 5760 273-000 refer to chapter 9B)	Zinc-plated	3.05
	6297 740-000	Nylon tube. To be used as as padding between 2 pieces reinforcement in the bottom slats Solidscreen.	Light grey	4.0
	4452 238-000	Neoprene strip 10 x 2 mm self-adhesive, for suppression of impact sound between the bar and the bottom slat.		50
One can choose the bristle 5 mm or 8 mm to shove into the bottom slat:				
	4452 277-000	Bristle 5 mm for bottom slat SolidScreen	Light grey	100
	4452 276-000	Bristle 8 mm for bottom slat SolidScreen	Light grey	100
	4452 283-000	PVC (soft) inlay, bottom slat SolidScreen	Black	300
	4452 283-068	Idem, length 7.0 m.	Black	7.0
	6297 855-000	Alu side guide Xtra / XL	Mill finish	7.0
	6297 855-016	Idem	Silver anodized	7.0
	6297 855-006	Idem	RAL 9010 pure white	7.0
	6297 855-901	Idem	RAL 9001 cream	7.0
	6297 855-755	Idem (* = textured)	RAL 7016 anthracite grey*	7.0
	6297 762-000	Alu cover profile for side guide 6297780, 6297790 and 6297818/820	Mill finish	6.0
	6297 762-016	Idem	Silver anodized	6.0
	6297 762-006	Idem	RAL 9010 pure white	6.0
	6297 762-901	Idem	RAL 9001 cream	6.0
	6297 762-755	Idem (* = Textured)	RAL 7016 anthracite grey*	6.0
	6297 764-000	Idem	Mill finish	7.0
	6297 764-016	Idem	Silver anodized	7.0
	6297 764-006	Idem	RAL 9010 pure white	7.0
	6297 764-901	Idem	RAL 9001 cream	7.0
	6297 764-755	Idem (* = Textured)	RAL 7016 anthracite grey*	7.0
	4452 123-000	Stainless steel socket-head bolt M 4 x 16 mm cylinder head (For fixing the cover profile 6297 764 to the side guide 6297 780 and 6297 790)		100

= Article will be sold out. Special orders remain possible.

Part number	Description	Paint finish	Length in m ¹ Pack. Unit
4452 497-000	Nylon end caps side guide Xtra / XL, left	Mill finish	
4452 498-000	Idem, right	Mill finish	
4452 497-008	Nylon end caps side guide Xtra / XL, left	Light grey	
4452 498-008	Idem, right	Light grey	
4452 497-006	Nylon end caps side guide Xtra / XL, left	RAL 9010 pure white	
4452 498-006	Idem, right	RAL 9010 pure white	
4452 497-901	Nylon end caps side guide Xtra / XL, left	RAL 9001 cream	
4452 498-901	Idem, right	RAL 9001 cream	
4452 497-755	Nylon end caps side guide Xtra / XL, left (* = textured)	RAL 7016 anthracite grey*	
4452 498-755	Idem, right (* = textured)	RAL 7016 anthracite grey*	




4452 073-000	Plate screw with countersunk Philips head 3.5 x 19 mm (For fixing the end cap to the side guide)		100
--------------	---	--	-----




**Below mentioned filling profile can be applied to the following side guides:
6297 818/820-..., 6297 780-... and 6297 724-...
If to use the below mentioned profile, please fasten guide & filling profile with a screw into wall and/or window frame**

6297 560-000	Alu filling profile for klick side guides 12 mm	Mill finish	7.0
--------------	---	-------------	-----




4452 481-008	Nylon guide for single guide and centre guide	Light grey	6.0
4452 485-008	Idem	Light grey	7.0
4452 484-008	Idem	Light grey	7.0




**The side guides can be delivered incl. neoprene strips. Only in lengths of 7500 mm
Please contact the sales department for information about the minimum quantity and delivery time.**

4452 487-000	Neoprene strip 10 x 4 x 60 mm self-adhesive. Install every 50 cm approx. on the nylon guide of the SolidScreen (4452 485-008)		135
--------------	--	--	-----




4452 453-068	Nylon guide for single guide and centre guide incl. neoprene strips. Packed in 20 lengths. This article is also available in bulk packaging (500 lengths) 4452 453-008.	Grey	7.0
--------------	--	------	-----



4452 486-008	Nylon funnel for side guide (4452 485-008)	Light grey	50
--------------	--	------------	----



4452 070-000	Plate screw with countersunk Philips head 2.9 x 19 mm (For fixing the funnel on nylon side guide)		100
--------------	--	--	-----



= Article will be sold out. Special orders remain possible.

