




7

Summerlight® Verso



7

Part number	Description	Paint finish	Length in m ¹ Pack. Unit
-------------	-------------	--------------	--




4215 327-090	Spare parts kit Summerlight Verso	Mill finish	
4215 327-006	Idem	Pure white	
4215 327-901	Idem	RAL 9001 cream	
4215 327-916	Idem	RAL 9016 traffic white	


The end fix brackets are also separately available, the part numbers are:

4215 101/103-000 Mill finish
 4215 101/103-006 Pure white
 4215 101/103-007 RAL 8019 grey brown #
 4215 101/103-901 RAL 9001 cream
 4215 101/103-916 RAL 9016 traffic white

Other parts in the kit Summerlight Verso are also separately available (refer to chapter 7A multipurpose parts).



4217 310-000	Drilling aid piece for side guide (For fixing the top cover support to the side guide)		
--------------	---	--	--




4215 119-068	Alu coupler Verso, complete with couple bearing	Mill finish	
4215 119-006	Idem	pure white	
4215 119-901	Idem	RAL 9001 cream	
4215 119-916	Idem	RAL 9016 traffic white	



4215 337-000	Alu side guide support 100 mm high	Mill finish	
4215 337-006	Idem	RAL 9010 pure white	
4215 337-901	Idem	RAL 9001 cream	
4215 337-916	Idem	RAL 9016 traffic white	
4215 337-755	Idem (* = Textured)	RAL 7016 anthracite grey*	












4215 338-000	Alu side guide support 100 mm high for 2 profiles	Mill finish	
4215 338-006	Idem	RAL 9010 pure white	
4215 338-901	Idem	RAL 9001 cream	
4215 338-916	Idem	RAL 9016 traffic white	
4215 338-755	Idem (* = Textured)	RAL 7016 anthracite grey*	



4215 342-000	Alu support separate (for upper and botomside) Height of the tab which goes in the connection tube is 26 mm	Mill finish	
--------------	--	-------------	--

= Article will be sold out. Special orders remain possible.


Summerlight® Verso

	Part number	Description	Paint finish	Length in m ¹ Pack. Unit
	4215 344-000	Alu plate separate (upper side) for fixing 2 profiles	Mill finish	
	4217 074-000	Fastening plate for side guide support		
	4410 409-000	Stud bolt M6 x 16 mm (For fixing the plate to the support)		100
	4410 402-000	Washer M6		100
	4210 142-000	Plate screw countersunk Philips head 4.2 x 32 mm (For fixing the support to the connection tube)		100
	4210 039-000	Stainless steel countersunk cross screw M6 x 16 mm (For fixing connection tube to the support)		100
	6295 696-000	Alu side guide support profiles (NEW) To raise the supports 4215 335/336-	Mill finish	6.0
	4215 339-006	Alu side guide support profiles (NEW) To raise the supports 4215 335/336-	RAL 9010 pure white	1.15
	4215 339-007	Idem	RAL 8019 grey brown	1.15
	4215 339-901	Idem	RAL 9001 cream	1.15
	4215 339-916	Idem	RAL 9016 traffic white	1.15
	4215 339-755	Idem (* = textured)	RAL 7016 antraciet*	1.15
	4215 227-068	Alu distance bracket 100 mm, plate and bolts included, left	Mill finish	
	4215 229-068	Idem, right	Mill finish	
	4215 227-006	Alu distance bracket 100 mm, plate and bolts included, left	pure white	
	4215 229-006	Idem, right	pure white	
	4215 227-901	Alu distance bracket 100 mm, plate and bolts included, left	RAL 9001 cream	
	4215 229-901	Idem, right	RAL 9001 cream	

= Article will be sold out. Special orders remain possible.

Part number	Description	Paint finish	Length in m ¹ Pack. Unit
-------------	-------------	--------------	--


4215 227-916	Alu distance bracket 100 mm, plate and bolts included, left	RAL 9016 traffic white	
4215 229-916	Idem, right	RAL 9016 traffic white	



4215 297-006	Alu distance bracket 100 mm, for 2 profiles, plate and bolts included	Pure white	
4215 297-007	# Idem	RAL 8019 grey brown	
4215 297-901	Idem	RAL 9001 cream	
4215 297-916	Idem	RAL 9016 traffic white	

On the Verso the distance brackets 4215 226/228/296- can also be applied (refer to chapter 9A).
The top cover is hereby placed on the bottom side equally with the bottom side of the distance bracket.
Place the neoprene between the top cover and roof construction for suppression of impact sound.

The distance brackets 4215 227/229/297/226/228/296- can be combined with an U-bracket 4215 240:




4215 240-090	Alu U-shape bracket (15 x 30 x 15 x 3 mm) for placement under 4215 227/229/297/226/228/296-... in case of 4215 296/297-... cutting through the middle	Mill finish	
4215 240-006	Idem	Pure white	
4215 240-007	Idem	RAL 8019 grey brown	
4215 240-901	Idem	RAL 9001 cream	
4215 240-916	Idem	RAL 9016 traffic white	

For more multipurpose distance brackets Summerlight and Summerlight Verso refer to chapter 7A.



4215 190-080	Bristle top cover	Black	25
4215 190-000	Idem	Black	500




6295 652-000	Alu top cover Summerlight Verso	Mill finish	4.0
6295 654-000	Idem	Mill finish	5.0
6295 656-000	Idem	Mill finish	6.0
6295 658-000	Idem	Mill finish	7.0
6295 652-006	Alu top cover Summerlight Verso	pure white	4.0
6295 654-006	Idem	pure white	5.0
6295 656-006	Idem	pure white	6.0
6295 658-006	Idem	pure white	7.0
6295 652-901	Alu top cover Summerlight Verso	RAL 9001 cream	4.0
6295 654-901	Idem	RAL 9001 cream	5.0
6295 656-901	Idem	RAL 9001 cream	6.0
6295 658-901	Idem	RAL 9001 cream	7.0
6295 654-916	Alu top cover Summerlight Verso	RAL 9016 traffic white	5.0
6295 656-916	Idem	RAL 9016 traffic white	6.0




4215 190-080	Bristle top cover	Black	25
4215 190-000	Idem	Black	500

= Article will be sold out. Special orders remain possible.

Summerlight® Verso



Part number	Description	Paint finish	Length in m ¹ Pack. Unit
6295 622-000	Alu bottom cover Summerlight Verso	Mill finish	4.0
6295 624-000	Idem	Mill finish	5.0
6295 626-000	Idem	Mill finish	6.0
6295 628-000	Idem	Mill finish	7.0
6295 622-006	Alu bottom cover Summerlight Verso	pure white	4.0
6295 624-006	Idem	pure white	5.0
6295 626-006	Idem	pure white	6.0
6295 628-006	Idem	pure white	7.0
6295 622-901	Alu bottom cover Summerlight Verso	RAL 9001 cream	4.0
6295 624-901	Idem	RAL 9001 cream	5.0
6295 626-901	Idem	RAL 9001 cream	6.0
6295 628-901	Idem	RAL 9001 cream	7.0
6295 624-916	Alu bottom cover Summerlight Verso	RAL 9016 traffic white	5.0
6295 626-916	Idem	RAL 9016 traffic white	6.0
4210 142-000	Plate screw with countersunk Philips head 4.2 x 32 mm (For fixing bottom cover to the top cover bracket)		100
4211 130-080	Nylon insert strip for stopper in bottom cover	Black	50
4211 132-080	Idem	White	50



7

For more multipurpose parts for Summerlight and Summerlight Verso refer to chapter 7A.

Further requirements:
- Rollers refer to chapter 1