





**The Cubola® is a patented product.
All necessary items for this product must be purchased from the AVZ-Group.
For any exceptions or further questions, please contact our sales department.**

Freestanding Awning Cubola® Piazzola®



7









The Cubola® is a patented product.

All necessary items for this product must be purchased from the AVZ-Group.








For any exceptions or further questions, please contact our sales department.

Freestanding Awning Cubola® Piazzola®

Part number	Description	Paint finish	Length in m ¹ Pack. Unit
	4217 027-090 Alu end fix bracket Piazzola / Cubola Piazzola, left	Mill finish	
	4217 032-090 Idem, right	Mill finish	
	4217 027-006 Alu end fix bracket Piazzola / Cubola Piazzola, left	RAL 9010 pure white	
	4217 032-006 Idem, right	RAL 9010 pure white	
	4217 027-755 Alu end fix bracket Piazzola / Cubola Piazzola, left (* = Textured)	RAL 7016 anthracite grey*	
	4217 032-755 Idem, right	RAL 7016 anthracite grey*	
	4217 310-000 Drilling template for side guide (for fixing the end fix bracket to the side guide)		
	4409 967-090 Mounting bracket set freestanding Cubola Piazzola	Mill finish	
	4409 967-006 Idem	RAL 9010 pure white	
	4409 967-755 Idem (* = Textured)	RAL 7016 anthracite grey*	
	4600 392-000 (AISI-410) drill screw cylinder/cross screw 4.2 x 25 mm. (for fixing center bracket to the support beam 110 mm).		100
Assembling brackets L+R will be attached with the stud bolts M8 x 18 mm. Optionally there can also be an additional drill screw (above mentioned) applied.			
	4409 977-090 Mounting bracket set wall mounted Cubola Piazzola	Mill finish	
	4409 977-006 Idem	RAL 9010 pure white	
	4409 977-755 Idem (* = Textured)	RAL 7016 anthracite grey*	
	6252 148-000 Alu bottom cover Piazzola	Mill finish	4.0
	6252 154-000 Idem	Mill finish	5.0
	6252 150-000 Idem	Mill finish	6.0
	6252 152-000 Idem	Mill finish	7.0
	6252 148-006 Alu bottom cover Piazzola	RAL 9010 pure white	4.0
	6252 154-006 Idem	RAL 9010 pure white	5.0
	6252 150-006 Idem	RAL 9010 pure white	6.0
	6252 152-006 # Idem	RAL 9010 pure white	7.0








= Article will be sold out. Special orders remain possible.

Freestanding Awning Cubola® Piazzola®

Part number	Description	Paint finish	Length in m ¹ Pack. Unit	
6252 148-755	Alu bottom cover Piazzola (* = Textured)	RAL 7016 anthracite grey*	4.0	
6252 154-755	Idem	RAL 7016 anthracite grey*	5.0	
6252 150-755	Idem	RAL 7016 anthracite grey*	6.0	
6252 152-755	Idem	RAL 7016 anthracite grey*	7.0	
	4211 130-080 Nylon insert strip for stopper in bottom cover	Black	50	
	4211 132-080 Idem	White	50	
	4210 142-000 Plate screw with countersunk Philips head 4.2 x 32 mm (for fixing the bottom cover to the end fix bracket)		100	
	4217 085-001 Alu cover support Piazzola	Silver anodized		
	4217 100-000 Stainless steel fixing plate to adjust the cover support			
	4210 534-000 Stainless steel socket-head screw wrench M6 x 10 mm (to fasten plate)		100	
	6252 188-000 Alu top cover Piazzola/Cubola	Mill finish	4.0	
	6252 194-000 Idem	Mill finish	5.0	
	6252 190-000 Idem	Mill finish	6.0	
	6252 192-000 Idem	Mill finish	7.0	
	6252 188-006 Alu top cover Piazzola/Cubola	RAL 9010 pure white	4.0	
	6252 194-006 Idem	RAL 9010 pure white	5.0	
	6252 190-006 Idem	RAL 9010 pure white	6.0	
	6252 192-006 Idem	RAL 9010 pure white	7.0	
	6252 188-755 Alu top cover Piazzola/Cubola (* = Textured)	RAL 7016 anthracite grey*	4.0	
	6252 194-755 Idem	RAL 7016 anthracite grey*	5.0	
	6252 190-755 Idem	RAL 7016 anthracite grey*	6.0	
	6252 192-755 Idem	RAL 7016 anthracite grey*	7.0	
		6295 980-000 Alu cover extension	Mill finish	4.0
		6295 984-000 Idem	Mill finish	5.0
		6295 988-000 Idem	Mill finish	6.0
		6295 980-006 Alu cover extension	RAL 9010 pure white	4.0
6295 984-006 Idem		RAL 9010 pure white	5.0	
6295 988-006 Idem		RAL 9010 pure white	6.0	

= Article will be sold out. Special orders remain possible.

Freestanding Awning Cubola® Piazzola®

Part number	Description	Paint finish	Length in m ¹ Pack. Unit
6295 980-755	Alu cover extension (* = Textured)	RAL 7016 anthracite grey*	4.0
6295 984-755	Idem (* = Textured)	RAL 7016 anthracite grey*	5.0
6295 988-755	Idem (* = Textured)	RAL 7016 anthracite grey*	6.0
	4217 345-000 Bracket to support the cover extension. We advise to apply this bracket for widths from 4.5 m.		
	4215 190-080 Bristle to be used in cover extension	Black	25
	4215 190-000 Idem	Black	500
	7700 306-000 Stainless steel drill screw with Philips cylinder head 4.2 x 13 mm (for fixing the top cover to the end fix bracket/cover support)		100
	7700 952-006 Nylon sealing cap for drill screw 4.2	White	125
	7700 952-901 Idem	Cream	125
	7700 952-716 Idem	Anthracite grey	125
	7700 952-905 Idem	Black	125
	6253 382-000 Steel tube 85 x 1,25 mm with round groove (spec.)	zinc-plated	4.0
	6253 384-000 Idem	zinc-plated	4.5
	6253 386-000 Idem	zinc-plated	5.0
	6253 390-000 Idem	zinc-plated	6.0
	6253 392-000 Idem	zinc-plated	6.5
	6253 394-000 Idem	zinc-plated	7.0
	6253 396-000 Idem	zinc-plated	7.5
	6253 382-008 Steel tube 85 x 1,25 mm with round groove (spec.)	RAL 7035 light grey	4.0
	6253 384-008 Idem	RAL 7035 light grey	4.5
	6253 386-008 Idem	RAL 7035 light grey	5.0
	6253 390-008 Idem	RAL 7035 light grey	6.0
	6253 392-008 Idem	RAL 7035 light grey	6.5
	6253 394-008 Idem	RAL 7035 light grey	7.0
	6253 396-008 Idem	RAL 7035 light grey	7.5
	4217 202-000 Nylon bearing roller bung 85 with spindle 15 mm		
	4217 205-000 Nylon washer spindle hole 16 mm for bearing roller bung 4217 202-000		10







= Article will be sold out. Special orders remain possible.

Freestanding Awning Cubola® Piazzola®

Part number	Description	Paint finish	Length in m ¹ Pack. Unit
	4000 951-000 Somfy friction ring for motor series 50/60 roller 85		
	4001 133-068 ASA friction ring for motor series 45/50 roller 85		
	4001 106-068 ASA clamp spring kit (to fasten friction ring 4001 133-068)		
	4000 952-000 Somfy/ASA adapter for motor series 60 roller 85		
	4000 953-000 Adaption ring Somfy/ASA motor series 50 roller 85 in combination with adaptor 4000 952-000		
	4215 114-068 Nylon bearing block incl. precision bearing		
	4215 110-000 Alu motor bracket for Somfy (S)LT motors		

= Article will be sold out. Special orders remain possible.




Freestanding Awning Cubola® Piazzola®

Part number	Description	Paint finish	Length in m ¹ Pack. Unit
	4215 111-000 Alu motor bracket for ASA motors		
	4217 080-000 Nylon cord pulley roller 85		
	6295 553-000 Alu side guide Cubola 60 x 75 mm	Mill finish	6.0
	6295 553-006 Idem	RAL 9010 pure white	6.0
	6295 553-755 Idem (* = textured)	RAL 7016 anthracite grey*	6.0
	6295 554-000 Alu side guide Cubola 60 x 75 mm	Mill finish	7.5
	6295 554-006 Idem	RAL 9010 pure white	7.5
	6295 554-755 Idem (* = textured)	RAL 7016 anthracite grey*	7.5
	4215 124-000 Alu guide plate	Mill finish	
	4215 124-006 Idem	RAL 9010 pure white	
	4215 124-755 Idem (* = textured)	RAL 7016 anthracite grey*	
	4217 260-001 Kit end bearings for guide Cubola	Anodized	
	6295 562-000 Alu front profile (upper part)	Mill finish	4.0
	6295 565-000 Idem	Mill finish	5.0
	6295 566-000 Idem	Mill finish	6.0
	6295 568-000 Idem	Mill finish	7.0
	6295 562-006 Alu front profile (upper part)	RAL 9010 pure white	4.0
	6295 565-006 Idem	RAL 9010 pure white	5.0
	6295 566-006 Idem	RAL 9010 pure white	6.0
	6295 568-006 Idem	RAL 9010 pure white	7.0

= Article will be sold out. Special orders remain possible.

Freestanding Awning Cubola® Piazzola®


Part number	Description	Paint finish	Length in m ¹ Pack. Unit
6295 562-755	Alu front profile (upper part) (* = textured)	RAL 7016 anthracite grey*	4.0
6295 565-755	Idem (* = textured)	RAL 7016 anthracite grey*	5.0
6295 566-755	Idem (* = textured)	RAL 7016 anthracite grey*	6.0
6295 572-000	Alu front profile (lower part)	Mill finish	4.0
6295 575-000	Idem	Mill finish	5.0
6295 576-000	Idem	Mill finish	6.0
6295 578-000	Idem	Mill finish	7.0
6295 572-006	Alu front profile (lower part)	RAL 9010 pure white	4.0
6295 575-006	Idem	RAL 9010 pure white	5.0
6295 576-006	Idem	RAL 9010 pure white	6.0
6295 578-006	Idem	RAL 9010 pure white	7.0
6295 572-755	Alu front profile (lower part) (* = textured)	RAL 7016 anthracite grey*	4.0
6295 575-755	Idem (* = textured)	RAL 7016 anthracite grey*	5.0
6295 576-755	Idem (* = textured)	RAL 7016 anthracite grey*	6.0
4452 238-000	Neoprene strip 10x2 mm, self-adhesive, for suppression of impact sound and for a correct fitting of the upper and lower front profiles		50
Note: use a strip of ± 10 cm per every ± 100 cm awning width.			
4215 310-090	Alu guide pulley, left	Mill finish	
4215 312-090	Idem, right	Mill finish	
4215 310-006	Alu guide pulley, left	RAL 9010 pure white	
4215 312-006	Idem, right	RAL 9010 pure white	
4215 310-755	Alu guide pulley, left (* = textured)	RAL 7016 anthracite grey*	
4215 312-755	Idem, right (* = textured)	RAL 7016 anthracite grey*	
4210 142-000	Plate screw with countersunk Philips head 4.2 x 32 mm (for fixing the guide block to the pulling frame)		100
4215 172-068	Screw eye with nut M 6 for fixing the spring to the guide block		10



= Article will be sold out. Special orders remain possible.

Freestanding Awning Cubola® Piazzola®

Part number	Description	Paint finish	Length in m ¹ Pack. Unit
-------------	-------------	--------------	--




4215 183-000 Stainless steel spring 25 mm, length 350 mm
(for a projection up to 350 cm)

4215 185-000 Idem, length 570 mm
(for a projection from 350 cm)

Note: the springs are to be stretched up to a maximum of 60% of the total spring length.

ATTENTION !!


The pretention must be approximately 30% of the total lengths of the springs.
The springs can be pretensioned when the front profile is close to the top cover.



4215 155-000 Cord 2.5 mm


White

100



4215 158-000 Stainless steel pulley for cord 2.5 mm with nylon runner


10



4215 020-068 Cord tensioner Summerlight

Tension wire system for front profile.

To prevent that the front profile will sag on larger widths, the tension wire system below can be applied and mounted under the front profile.



6295 688-000 Alu cover profile for tension wire system

Mill finish

5.0

6295 690-000 Idem

Mill finish

6.0

6295 688-006 Alu cover profile for tension wire system

RAL 9010 pure white

5.0

6295 690-006 Idem

RAL 9010 pure white

6.0

6295 688-755 Alu cover profile for tension wire system (* = Textured)

RAL 7016 anthracite grey*

5.0


6295 690-755 Idem (* = Textured)

RAL 7016 anthracite grey*

6.0




4215 272-000 Drilling template for tension wire system



6295 695-000 Stainless steel tension wire 304

6.5




4215 256-068 Parts kit with fixing materials for tension wire system


= Article will be sold out. Special orders remain possible.

Freestanding Awning Cubola® Piazzola®

Part number	Description	Paint finish	Length in m ¹ Pack. Unit
-------------	-------------	--------------	--



4215 266-000	Alu end cap for tension blocks	Mill finish	
4215 266-006	Idem	RAL 9010 pure white	
4215 266-755	Idem (* = Textured)	RAL 7016 anthracite grey*	



4409 934-068	Cubola Piazzola kit with fixing materials, bearing pin, bearing roller bungs, nylon washer, 2x pulleys and 2x screw eye. For 1 Freestanding Awning Cubola Piazzola.		
--------------	---	--	--