



# Terrace awnings

The sun-protecting mood setters



# Terrace awnings

The sun-protecting mood setters

Do you want to enjoy the sunny months on your patio? Terrace awnings create shade to enjoy the fresh air and the view on your beautiful garden. A cool terrace, the indoors keep a comfortable temperature and furniture is protected from fading colours by the bright sunshine.

Terrace awnings are primarily used for terrace or patio applications. Thanks to their special construction, this type of awning offers you total freedom of movement beneath the sun protection system and therefore the possibility to furnish the terrace as you like. We offer you an extensive range of options in terms of both appearance and user convenience.

**Picca®**



4

**Furore® Cassette**



6

**Primo® / Linea®**



8

**Gota®**



10

**Oliva®**



12

**Bella®**



14

**Jan des Bouvrie**



16

**Senza®**




18

## Control systems

To ensure the ease of use of our terrace awnings, we have chosen to equip our products with high quality electrical control systems. Nevertheless a few models are also still manually operational. The electrical control systems offer several options. For instance, you may choose to operate your terrace awning using a wall-mounted switch, remote control unit, or even an app installed on your smartphone or tablet. Ask your local dealer about the possibilities available.





**In support of the Dutch Cancer Society (DCS)**

For each meter of acrylic fabric sold, € 0,05 is donated to the Dutch Cancer Society (DCS). This helps to make scientific research on skin cancer possible. For more information, please visit the website [www.kwf.nl/english](http://www.kwf.nl/english). If you are curious about how much the campaign has already achieved, please check [www.tibelly.nl](http://www.tibelly.nl).



# Picca<sup>®</sup>

Terrace awning



A quality terrace awning does not necessarily have to be expensive. The Picca provides striking proof of this. Thanks to its excellent price/quality ratio and efficient semi-circular design, the Picca has been one of our most popular terrace awnings for several years.

The unique anti-jam system ensures that the awning always closes perfectly from any position. The rock-solid retractable arms ensure a free space under the awning. By using high-quality materials, such as aluminium and stainless steel, this screen is an example of absolute durability. To give it a personal touch and match it to the surroundings you can choose from a wide range of Tibelly acrylic fabrics.



## Characteristics

- ☐ Favourable price/quality ratio
- ☐ Wall-mounting concealed behind the awning
- ☐ Fitted using only two supports (up to 4500 mm)
- ☐ Available with covers in matching colour
- ☐ Available with or without valance
- ☐ Available with manual or electrical control system

## Maximum dimensions

	Width	Projection
Picca®	5500 mm	2500 mm
Picca®	5000 mm	3000 mm

## Colours



## Mounting


Wall mounted  
Ceiling mounted

## Certifications



# Furore<sup>®</sup> Cassette

Terrace awning









The Furore Cassette, a terrace awning known for its beautiful, compact and fully closed design. The wall mounting is concealed behind the awning, thus seamlessly connecting to the facade. It's equipped with an upper roller system and a PVC fabric guide, so the fabric always has sufficient distance from the arms and always closes perfectly. This not only looks beautiful, but the fabric is also fully protected against weather effects.

The rounded cassette provides a striking appearance, both opened and closed. Searching for a terrace awning that combines simplicity and quality with a modern design, the Furore Cassette is your choice.



## Characteristics

-  Favourable price/quality ratio
-  Wall-mounting concealed behind the awning
-  Beautiful design with smooth rounded accents
-  Optimal protection against weather effects
-  Available with or without valance
-  Available with manual or electrical control system

## Maximum dimensions

	Width	Projection
Furore® Cassette	5500 mm	2500 mm
Furore® Cassette	5000 mm	3000 mm

## Colours



## Mounting


Wall mounted  
Ceiling mounted

## Certifications



# Primo<sup>®</sup> Linea<sup>®</sup>


Terrace awning



Our Primo terrace awning distinguishes itself from other models due to the extremely compact design. When closed, the cassette measures just 122 mm high. This makes it one of the most compact terrace awnings on the market. The Linea is almost identical to its sister model, the Primo. It also measures just 122 mm high when closed. The difference between the two models is that a Linea has a fully closed cassette. Therefore the Linea can be applied in larger dimensions than the Primo and the fabric is not partially, but fully protected against the weather.

If you are looking for a terrace awning that occupies little space, without compromising on quality, then the Primo or Linea are the models for you. It's your choice.





## Characteristics

- ☞ One of the most compact terrace awnings on the market
- ☞ Smooth rounded accents
- ☞ Mounted using only two supports (up till 4500 mm)
- ☞ Available with or without valance
- ☞ Available with manual or electrical control system

## Maximum dimensions

	Width	Projection
Primo®	5500 mm	2500 mm
Primo®	5000 mm	3000 mm
Linea®	6000 mm	2500 mm
Linea®	5500 mm	3000 mm

## Colours




\*Only Primo® \*\*Only Linea®

## Mounting

Wall mounted  
Ceiling mounted

## Certifications



# Gota<sup>®</sup>






Terrace awning



The Gota, a highly popular terrace awning due to its design and the wide range of available colours. When closed it has an appealing oval shape. The adjusting device of the Gota is covered behind beautifully finished teardrop covers. These stylistic features do not detract from its quality at all. It can be installed in almost every situation due to its unique installment possibilities. If you are looking for a stylish and high quality terrace awning, then Gota is the model for you.



## Characteristics

-  Wide range of colour options
-  Fabric fully protected in cassette
-  Appealing teardrop design
-  Available with or without valance
-  Available with manual or electrical control system

## Maximum dimensions

	Width	Projection
Gota®	6000 mm	2500 mm
Gota®	5500 mm	3000 mm

## Colours



## Mounting


Wall mounted  
Ceiling mounted

## Certifications



# Oliva<sup>®</sup>





Terrace awning



Oliva's distinguishing features are its olive-shaped appearance, unique adjustment settings and substantial dimensions. These ensure that the Oliva can be fitted in almost any imaginable situation. As a larger version of a Gota, the Oliva is also an attractive addition to your facade, when closed. If you are looking for a stylish and high quality terrace awning with stunning looks, then Oliva is your model.



## Characteristics

-  Fabric fully protected in cassette
-  Unique olive-shaped design
-  Available with or without valance
-  Available with manual or electrical control system

## Maximum dimensions

	Width	Projection
Oliva®	6500 mm	3000 mm
Oliva®	6000 mm	3500 mm

## Colours



\*Ask for availability

## Mounting


Wall mounted  
Ceiling mounted

## Certifications



# Bella<sup>®</sup>






Terrace awning



The Bella, it's just as appealing as its name suggests. This Italian beauty is especially intended for the connoisseur in the field of facade design. The stylish designed cassette makes it highly attractive, both when open and closed. The Bella terrace awning offers the ultimate combination of design and quality.



## Characteristics

-  Fabric fully protected in cassette
-  Wall-mounting concealed behind the awning
-  Special compact design
-  Available with or without valance
-  Available with manual or electrical control system

## Colours



## Maximum dimensions

	Width	Projection
Bella®	6500 mm	2500 mm
Bella®	6250 mm	3000 mm

## Mounting


Wall mounted  
Reinforced mounting

## Certifications



# JAN DES BOUVRIE

Terrace awning



A unique design by Jan des Bouvrie, Netherlands' best known interior and exterior designer. The minimalist design of this terrace awning is largely characterised by its rectangular cassette, which cuts a fine figure against the facade, both when open and closed. If you are a design enthusiast, who wants to combine style with all the benefits of a high quality terrace awning, then the Jan des Bouvrie model is the solution for you.






## Characteristics

- ☐ Fabric fully protected in cassette
- ☐ Unique design by Jan des Bouvrie
- ☐ Stylish design on any facade, when open and closed
- ☐ Wall-mounting concealed behind the awning
- ☐ Available with electrical control system

## Colours



## Maximum dimensions

	Width	Projection
Jan des Bouvrie	6500 mm	2500 mm
Jan des Bouvrie	6250 mm	3000 mm

## Mounting


Wall mounted

## Certifications



# Senza<sup>®</sup>






Terrace awning



The Senza is the most advanced and luxurious terrace awning in our range. Although it's the largest model, this doesn't detract from the quality. The secret lies in its design. The forces acting upon it are evenly spread, thus achieving optimum stability. If you are looking for a high quality and luxurious terrace awning that can spread up to widths up to 15 meters, then the Senza is the solution for you.



## Characteristics

-  Awnings linkable up to widths of 15000 mm
-  Optimum stability, thanks to steel support tube
-  Wall-mounting concealed behind the awning
-  Available with or without valance
-  Available with manual or electrical control system

## Maximum dimensions

	Width	Projection
Senza®	7485 mm	3500 mm
Senza® (linked)	15000 mm	3500 mm

## Colours



## Mounting

Wall mounted  
Ceiling mounted

## Certifications




# Tibelly®

Acrylic fabric




**T100** white Uni




**T127** pearl tweed Uni



**T121** light grey Uni



**T138** light grey chiné Uni



**T122** grey Uni



**T136** stone tweed Uni



**T367** slate Uni



**T139** dark grey chiné Uni



**T131** carbon Uni




**T365** charcoal tweed Uni



**T368** black Uni



**T103** natural Uni



**T135** parchment tweed Uni



**T102** beige Uni



**T133** sand chiné tweed Uni



**T366** taupe Uni




**T128** sepia tweed Uni



**T134** brown Uni



**T107** yellow Uni



**T109** ochre Uni



**T340** orange Uni




**T112** traffic red Uni



**T113** ruby red Uni



**T114** burgundy Uni



**T119** blue Uni



**T120** navy Uni




**T132** lime green Uni




**T117** forest green Uni




**T384** anthracite/grey Block 15 cm




**T386** grey/light grey Block 15 cm



**T362** black/cream Block 15 cm



**T356** grey/cream Block 15 cm




**T507** black/cream Block 10 cm



**T515** grey/cream Block 10 cm




**T503** grey/white Block 10 cm



**T254** anthra/cream Fantasy Meierij



**T212** grey/light grey Fantasy Kempen



The fabric colours shown in this brochure can slightly differ from the reality due to the printing deviation.



**T251** grey/charcoal Fantasy Kempen



**T263** grey Fantasy Salland



**T273** grey Fantasy Veluwe




**T402** anthracite Fantasy Betuwe



**T451** grey Fantasy Marne



**T382** sand/beige Block 15 cm



**T513** sand/cream Block 10 cm



**T256** beige/cream Fantasy Meierij




**T214** sand/beige Fantasy Kempen



**T252** taupe/brown Fantasy Kempen



**T453** beige Fantasy Marne



**T358** ochre/yellow Block 15 cm



**T521** ochre/yellow Block 10 cm



**T501** yellow/white Block 10 cm



**T264** orange Fantasy Salland



**T274** orange Fantasy Veluwe



**T416** orange Fantasy Betuwe



**T156** red/cream Block 15 cm




**T509** red/cream Block 10 cm



**T511** burgundy/cream Block 10 cm



**T323** red Fantasy Beemster



**T265** red Fantasy Salland



**T275** red Fantasy Veluwe



**T390** navy/blue Block 15 cm



**T354** blue/cream Block 15 cm



**T519** blue/cream Block 10 cm



**T253** blue/cream Fantasy Meierij




**T320** blue Fantasy Beemster



**T266** blue Fantasy Salland




**T276** blue Fantasy Veluwe



**T414** blue Fantasy Betuwe



**T388** green/light green Block 15 cm




**T352** green/cream Block 15 cm



**T517** green/cream Block 10 cm



**T255** green/cream Fantasy Meierij



**T322** green Fantasy Beemster



**T267** green Fantasy Salland




**T277** green Fantasy Veluwe



**T408** green Fantasy Betuwe





We set great store by quality. All our sun protection products are compliant with the CE standards and, since the year 2000, have been subjected to extensive testing by the TÜV Nord Group. This is carried out in accordance with the DIN EN 13561:2009-01 standard. Our terrace awnings are tested on the basis of three criteria:

- Lifespan class
- Waterload class
- Wind resistance class



### Lifespan class according DIN EN 13561:2009-01


Lifespan expresses the number of extension and retraction movements that an exterior sun protection system can withstand. The overview below indicates the various classes applicable in accordance with the EN 13561:2009-01 standard.

Number of movements	Class 1	Class 2	Class 3
Open and closed	3,000	7,000	10,000

### Waterload class according DIN EN 1933:1999-03

Waterload expresses the number of water in liter/m<sup>2</sup> per hour that an exterior sunprotection awning can withstand. This indicates, the quantity rainfall which a fully open sun protection system with a slope of 14° (Corresponds to a slope of 25%) must be able to drain. The following list shows which water load classes there are.

Waterload class	Class 1	Class 2
Quantity rainfall	17 liter/m <sup>2</sup> per hour	56 liter/m <sup>2</sup> per hour



### Wind resistance class according DIN EN 1932:2013-09

Wind load is the maximum force of the wind which an opened exterior sun blind can withstand. The overview below indicates the various wind resistance classes.

Wind resistance class	Class 0	Class 1	Class 2	Class 3
Beaufort scale	< 4	4	5	6
V (km/h) (maximum)	< 28 km/h	28 km/h	38 km/h	49 km/h
V (m/s) (maximum)	< 7,8 m/s	7,8 m/s	10,5 m/s	13,6 m/s
Nominal test pressure p (N/m <sup>2</sup> )	< 40	40	70	110
Safety test pressure 1,2 p (N/m <sup>2</sup> )	< 48	48	84	132

#### Example:

Wind resistance class 1 = Beaufort-scale class 4 = wind speed of max. 28 km/h of 7,8 m/s = pressure of 40 Newton per m<sup>2</sup>.



Your Terrace awning dealer:

